

Method for making artificial layered high-Tc superconductors.

Method for making artificial layered high-Tc superconductors.

Patent Number: EP0344352
Publication date: 1989-12-06
Inventor(s): GRAF VOLKER DR;; MULLER CARL ALEXANDER PROF DR
Applicant(s): IBM (US)
Requested Patent: ☐ EP0344352, B1
Application Number: EP19880108908 19880603
Priority Number(s): EP19880108908 19880603
IPC Classification: C30B29/22; H01L39/12; H01L39/24
EC Classification: C30B25/02, H01L39/12C2B, H01L39/24J2P2
EC Classification: C30B25/02+29/68; H01L39/12C2B; H01L39/24J2P2
Equivalents: BR8902555, CA1330193, DE3851701D, DE3851701T, JP2034240C, JP7061920B

Abstract

This is a method for making layered structures of artificial high-Tc superconductor compounds by which on top of a seed crystal (7) having a lattice structure matching the lattice structure of the superconductor compound to be made, oxide layers (4, 5, 6) of all constituent components are epitaxially grown in a predetermined sequence so as to create a sandwich structure not found in natural crystals. The epitaxial deposition of the constituent components is performed in a reaction chamber having evaporation facilities, inlets for metal-organic gases, and inlets for background gases including oxygen.